

Indiana State Police Clandestine Laboratory Occurrence Report

This form complies with the statutory requirement set forth in IC 5-2-15-3.

Date: 04/09/2014

Street: 6558 LOWER DUGAN RD

Incident #: 14ISPC002971

Apt, Lot, Room #:

County: SWITZERLAND

City: VEVAY, IN

Type of Laboratory Seizure (check one)

- ☒ Lab Seizure
☐ Chemical Seizure
☐ Equipment Seizure
☐ Dumpsite Seizure

Seizure Location (check all that apply)

- ☐ Residence ☐ Hotel/Motel
☒ Outbuilding ☐ Open – No Structure
☐ Vehicle ☐ Business
☐ Other: _____

Apt., hotel, multi-family dwelling: Shared HVAC: ☐ Yes ☐ No ☐ Unknown

Items Found: Location (bedroom, kitchen, open air, etc) (check all that apply)

☒ One Pot or Birch Reaction(s):

OUTBUILDING

☐ Red Phosphorous/Iodine Reaction(s): _____

☐ Hydrochloric Acid Gas Generator(s): _____

☒ Flammable Solvents: OUTBUILDING

☐ Water Reactive Metal (Lithium): _____

☐ Anhydrous Ammonia: _____

☐ Corrosive Acid: _____

☒ Corrosive Base: OUTBUILDING

☐ Ammonium Nitrate/Sulfate: _____

☐ Other (item and location): _____

Child under age 18 discovered (check appropriate)

☐ Yes _____ (number present)

☐ No

☒ Children not present but evidence they reside or visit often

Living conditions of home: ☐ clean ☒ disarray

☐ unclean

Estimated length of time manufacturing had been occurring: TWO WEEKS

Additional Information: REMINANTS OF PRIOR LAB

Vehicle, Travel Trailer, RV or Watercraft Information:

Owner: _____

Make: _____

VIN: _____

Model: _____

Year: _____

Color: _____

This report has been faxed* or emailed to the following agencies that serve the location:

Fire Department: JEFF-CRAIG VFD

Fax: EMAIL

Health Department County: SWITZERLAND CO

Fax: EMAIL

Department of Child Services Hotline: dcshotlinereports@dcs.in.gov Fax: 317-234-7595 or 317-234-7596

For further information regarding this methamphetamine laboratory, contact

Investigating Officer: HOWARD "CHIP" AYERS Phone 317.234.4591

*This form is to be faxed to the Fire Department, Health Department and/or Department of Child Services listed within 24 hours of scene processing.